spastic paraplegia type 4

Spastic paraplegia type 4 is part of a group of genetic disorders known as hereditary spastic paraplegias. These disorders are characterized by progressive muscle stiffness (spasticity) and the development of paralysis of the lower limbs (paraplegia). Hereditary spastic paraplegias are divided into two types: pure and complex. The pure types involve only the lower limbs, whereas the complex types also involve the upper limbs (to a lesser degree) and the nervous system. Spastic paraplegia type 4 is a pure hereditary spastic paraplegia.

Like all hereditary spastic paraplegias, spastic paraplegia type 4 involves spasticity of the leg muscles and muscle weakness. People with this condition can also experience exaggerated reflexes (hyperreflexia), ankle spasms, high-arched feet (pes cavus), and reduced bladder control. Spastic paraplegia type 4 generally affects nerve and muscle function in the lower half of the body only.

Frequency

The prevalence of spastic paraplegia type 4 is estimated to be 2 to 6 in 100,000 people worldwide.

Genetic Changes

Mutations in the *SPAST* gene cause spastic paraplegia type 4. The *SPAST* gene provides instructions for producing a protein called spastin. Spastin is found throughout the body, particularly in certain nerve cells (neurons). The spastin protein plays a role in the function of microtubules, which are rigid, hollow fibers that make up the cell's structural framework (the cytoskeleton). Microtubules are also involved in transporting cell components and facilitating cell division. Spastin likely helps restrict microtubule length and disassemble microtubule structures when they are no longer needed. Mutations in spastin impair the microtubules' ability to transport cell components, especially in nerve cells; researchers believe this contributes to the major signs and symptoms of spastic paraplegia type 4.

Inheritance Pattern

This condition is inherited in an autosomal dominant pattern, which means one copy of the altered gene in each cell is sufficient to cause the disorder.

In most cases, an affected person inherits the mutation from one affected parent. The remaining cases may result from new mutations in the gene. These cases occur in people with no history of the disorder in their family.

Other Names for This Condition

- spastic paraplegia 4
- SPG4

Diagnosis & Management

Genetic Testing

 Genetic Testing Registry: Spastic paraplegia 4, autosomal dominant https://www.ncbi.nlm.nih.gov/qtr/conditions/C1866855/

Other Diagnosis and Management Resources

- GeneReview: Hereditary Spastic Paraplegia Overview https://www.ncbi.nlm.nih.gov/books/NBK1509
- GeneReview: Spastic Paraplegia 4 https://www.ncbi.nlm.nih.gov/books/NBK1160
- Spastic Paraplegia Foundation, Inc.: Treatments and Therapies http://sp-foundation.org/understanding-pls-hsp/treatments.html

General Information from MedlinePlus

- Diagnostic Tests https://medlineplus.gov/diagnostictests.html
- Drug Therapy https://medlineplus.gov/drugtherapy.html
- Genetic Counseling https://medlineplus.gov/geneticcounseling.html
- Palliative Care https://medlineplus.gov/palliativecare.html
- Surgery and Rehabilitation https://medlineplus.gov/surgeryandrehabilitation.html

Additional Information & Resources

MedlinePlus

- Health Topic: Neurologic Diseases https://medlineplus.gov/neurologicdiseases.html
- Health Topic: Neuromuscular Disorders https://medlineplus.gov/neuromusculardisorders.html
- Health Topic: Paralysis
 https://medlineplus.gov/paralysis.html

Genetic and Rare Diseases Information Center

 Hereditary spastic paraplegia https://rarediseases.info.nih.gov/diseases/6637/hereditary-spastic-paraplegia

Additional NIH Resources

 National Institute of Neurological Disorders and Stroke: Hereditary Spastic Paraplegia https://www.ninds.nih.gov/Disorders/All-Disorders/Hereditary-spastic-paraplegia-Information-Page

Educational Resources

- Disease InfoSearch: Spastic paraplegia 4
 http://www.diseaseinfosearch.org/Spastic+paraplegia+4/6695
- MalaCards: spastic paraplegia 4
 http://www.malacards.org/card/spastic_paraplegia_4
- Merck Manual of Medical Information, Second Home Edition http://www.merckmanuals.com/home/brain-spinal-cord-and-nerve-disorders/spinal-cord-disorders/hereditary-spastic-paraparesis
- Orphanet: Hereditary spastic paraplegia http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=685

Patient Support and Advocacy Resources

- National Ataxia Foundation http://www.ataxia.org/
- National Organization for Rare Disorders (NORD): Hereditary Spastic Paraplegia https://rarediseases.org/rare-diseases/hereditary-spastic-paraplegia/
- RareConnect https://www.rareconnect.org/en/community/hereditary-spastic-paraplegia
- Spastic Paraplegia Foundation, Inc.: About Hereditary Spastic Paraplegia http://sp-foundation.org/understanding-pls-hsp/hsp.html

GeneReviews

- Hereditary Spastic Paraplegia Overview https://www.ncbi.nlm.nih.gov/books/NBK1509
- Spastic Paraplegia 4 https://www.ncbi.nlm.nih.gov/books/NBK1160

ClinicalTrials.gov

ClinicalTrials.gov
 https://clinicaltrials.gov/ct2/results?cond=%22spastic+paraplegia+4%22+OR+
 %22Paraplegia%2C+Spastic%22+OR+%22Spastic+Paraplegia%22

Scientific Articles on PubMed

PubMed

https://www.ncbi.nlm.nih.gov/pubmed?term=%28SPG4%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D

OMIM

 SPASTIC PARAPLEGIA 4, AUTOSOMAL DOMINANT http://omim.org/entry/182601

Sources for This Summary

- Depienne C, Fedirko E, Forlani S, Cazeneuve C, Ribaï P, Feki I, Tallaksen C, Nguyen K, Stankoff B, Ruberg M, Stevanin G, Durr A, Brice A. Exon deletions of SPG4 are a frequent cause of hereditary spastic paraplegia. J Med Genet. 2007 Apr;44(4):281-4. Epub 2006 Nov 10. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17098887
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2598038/
- McDermott CJ, Burness CE, Kirby J, Cox LE, Rao DG, Hewamadduma C, Sharrack B, Hadjivassiliou M, Chinnery PF, Dalton A, Shaw PJ; UK and Irish HSP Consortium. Clinical features of hereditary spastic paraplegia due to spastin mutation. Neurology. 2006 Jul 11;67(1):45-51. Erratum in: Neurology. 2009 Apr 28;72(17):1534.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16832076
- Reid E. Science in motion: common molecular pathological themes emerge in the hereditary spastic paraplegias. J Med Genet. 2003 Feb;40(2):81-6. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12566514
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1735361/
- Roll-Mecak A, Vale RD. Structural basis of microtubule severing by the hereditary spastic paraplegia protein spastin. Nature. 2008 Jan 17;451(7176):363-7. doi: 10.1038/nature06482. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/18202664
 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2882799/
- Salinas S, Carazo-Salas RE, Proukakis C, Schiavo G, Warner TT. Spastin and microtubules: Functions in health and disease. J Neurosci Res. 2007 Sep;85(12):2778-82. Review.
 Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/17348041

- Soderblom C, Blackstone C. Traffic accidents: molecular genetic insights into the pathogenesis of the hereditary spastic paraplegias. Pharmacol Ther. 2006 Jan;109(1-2):42-56. Epub 2005 Jul 7. Review.
 - Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/16005518
- Yip AG, Dürr A, Marchuk DA, Ashley-Koch A, Hentati A, Rubinsztein DC, Reid E. Meta-analysis of age at onset in spastin-associated hereditary spastic paraplegia provides no evidence for a correlation with mutational class. J Med Genet. 2003 Sep;40(9):e106. Citation on PubMed: https://www.ncbi.nlm.nih.gov/pubmed/12960222 Free article on PubMed Central: https://www.ncbi.nlm.nih.gov/pmc/articles/PMC1735583/

Reprinted from Genetics Home Reference:

https://ghr.nlm.nih.gov/condition/spastic-paraplegia-type-4

Reviewed: January 2008 Published: March 21, 2017

Lister Hill National Center for Biomedical Communications U.S. National Library of Medicine National Institutes of Health Department of Health & Human Services